

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,997	10/699,997 11/03/2003		Mark Levine	930009-2015	5362
20999	7590	06/17/2005		EXAM	INER
		ENCE & HAUG	PIZIALI, ANDREW T		
745 FIFTH AVENUE- 10TH FL. NEW YORK, NY 10151				ART UNIT	PAPER NUMBER
V.— V.—	<b>-,</b> - · · -			1771	

DATE MAILED: 06/17/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		B
	Application No.	Applicant(s)
Office Antique Commence	10/699,997	LEVINE ET AL.
Office Action Summary	Examiner	Art Unit
	Andrew T. Piziali	1771
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet w	th the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a plus within the statutory minimum of third will apply and will expire SIX (6) MON te, cause the application to become Al	reply be timely filed  ty (30) days will be considered timely.  ITHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).
Status		
<ul> <li>1) Responsive to communication(s) filed on 03 №</li> <li>2a) This action is FINAL. 2b) This</li> <li>3) Since this application is in condition for allowed closed in accordance with the practice under the condition of the condition of</li></ul>	is action is non-final. ance except for formal matt	
Disposition of Claims	·	
4) ☐ Claim(s) 1-38 is/are pending in the application 4a) Of the above claim(s) 5,6,25 and 26 is/are 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4,7-24 and 27-38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	e withdrawn from considera	tion.
Application Papers		
9)☐ The specification is objected to by the Examine 10)☒ The drawing(s) filed on <u>03 November 2003</u> is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the E	are: a)⊠ accepted or b)□ e drawing(s) be held in abeyar ction is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	nts have been received.  Its have been received in A  Drity documents have been  Bu (PCT Rule 17.2(a)).	pplication No received in this National Stage
Attachment(s)    X Notice of References Cited (PTO-892)   X Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date
Paper No(s)/Mail Date 3/8/04 & 8/5/04.	<del></del>	nformal Patent Application (PTO-152)

## **DETAILED ACTION**

### Election/Restrictions

- 1. This application contains claims directed to the following patentably distinct species of the claimed invention:
- Species 1 Drawn to a conductive filament(s) or fabric wherein the filament(s) comprises conductive polymer material blended with polymeric materials that can be oriented (see claims 5 and 25).
- Species 2 Drawn to a conductive filament(s) or fabric wherein the filament(s) is a bicomponent fiber containing conductive polymer material and formed by melt extrusion (see claims 6 and 26).
- Species 3 Drawn to a conductive filament(s) or fabric wherein the filament(s) comprises an oriented structure coated with conductive polymer material (see claims 7-8, 11-18, 27-28 and 31-37).
- 2. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 1-4, 9-10, 19-24, 29-30 and 38 appear to be generic.
- 3. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable

Art Unit: 1771

thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

- 4. Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).
- 5. Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.
- 6. During a telephone conversation with Ron Santucci on 4/12/2005 a provisional election was made with traverse to prosecute the invention of Species 3, claims 1-4, 7-24 and 27-38.

  Affirmation of this election must be made by applicant in replying to this Office action. Claims 5-6 and 25-26 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.
- 7. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Application/Control Number: 10/699,997 Page 4

Art Unit: 1771

## Claim Rejections - 35 USC § 112

8. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

9. Claims 12, 18 and 32 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claims 12 and 32, the word "preferably" renders the claim indefinite because it is unclear whether the limitation following the word is part of the claimed invention. See MPEP § 2173.05(d).

Regarding claim 18, it is not clear what composition ratio results in the claimed results.

## Claim Rejections - 35 USC § 102/103

10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1771

12. Claims 1-4, 7-8, 11-16, 19-22, 24, 27-28 and 31-36 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over USPN 6,432,850 to Takagi et al (hereinafter referred to as Takagi).

Regarding claims 1-4, 7-8, 11-16, 19-22, 24, 27-28 and 31-36, Takagi discloses a conductive fabric comprising a plurality of oriented polymeric filaments, wherein each filament includes electrically conductive polymer material incorporated as a coating (see entire document including column 1, lines 6-10, column 3, lines 53-64, column 4, lines 8-21 and Figure 1). Takagi disclose that the conductive fabric has excellent static dissipation properties (column 1, lines 6-11), therefore, the fabric can at least be compared to a metal-based fabric in terms of conductivity. Considering that the fibers have a core comprising synthetic material (paragraph bridging columns 3 and 4), the fabric is considered to be resistant to dents and creases.

Regarding claim 2, Takagi discloses that the filaments may constitute between thirty and one hundred percent of the fabric (column 3, lines 34-39).

Regarding claims 3-4, considering that Takagi disclose that the conductive fabric has excellent static dissipation properties (column 1, lines 6-11) and that the fibers have a core comprising synthetic material (paragraph bridging columns 3 and 4), the fabric is considered to have static dissipation properties equivalent to metal-based fabrics while also having physical properties (modulus, tenacity, strength, adhesion, abrasion resistance, and/or durability) comparable to non-conductive synthetic fabrics.

Regarding claims 7-8 and 27-28, Takagi discloses that the filament may have an oriented structure coated with conductive polymer material (column 4, lines 16-21 and Figure 1).

Application/Control Number: 10/699,997

Art Unit: 1771

Regarding claims 8 and 28, Takagi discloses that the fibers may be formed by bicomponent spinning, but Takagi does not specifically mention the claimed method of applying conductive polymer. Considering that substantially identical structure illustrated in Figure 1 of Takagi compared to Figure 1 of the current application, it is the examiner's position that the article of the applied prior art is identical to or only slightly different than the claimed article. Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process. In re Thorpe, 227 USPQ 964, 966 (Fed. Cir. 1985). The burden has been shifted to the applicant to show obvious difference between the claimed product and the prior art product. In re Marosi, 218 USPQ 289 (Fed. Cir. 1983). The applied prior art either anticipated or strongly suggested the claimed subject matter. It is noted that if the applicant intends to rely on Examples in the specification or in a submitted declaration to show non-obviousness, the applicant should clearly state how the Examples of the present invention are commensurate in scope with the claims and how the Comparative Examples are commensurate in scope with the applied prior art.

Regarding claims 11-16 and 31-36, Takagi discloses that the filament may be lobed monofilament coated with conductive polymer material (see Figure 1).

Regarding claims 12 and 32, Takagi discloses that the fabric, and therefore the coating, may have a conductivity of  $10^6$  to  $10^9 \Omega$  (column 5, lines 15-19).

Regarding claims 13-16, 24, 27-28, and 31-36, Takagi discloses that one or more C-shaped grooves may run along a length of the monofilament such that a mechanical interlock forms between the monofilament and the conductive polymer filling the grooves such that the interlock reduces a need for adhesion of the conductive polymer to the monofilament (see Figure 1).

Regarding claims 15-16 and 35-36, the configuration taught by Takagi allows for continued exposure of the conductive polymer to the filament surface as the monofilament wears so that the filament retains its conductivity and the positioning of the conductive polymer in the grooves shields the polymer and reduces the impact of its lesser abrasion resistance and physical properties (see Figure 1).

Regarding claim 19, Takagi discloses that the fabric may be single-layered or multilayered (column 6, lines 8-14 and Figure 6).

Regarding claim 20, Takagi discloses that the fabric may comprise weft and warp filaments (woven fabric) (column 3, lines 53-64).

Regarding claims 21-22, Takagi does not specifically mention the claimed uses, but considering the substantially identical fabric taught by Takagi, compared to the claimed fabric, it appears that the fabric disclosed by Takagi could be used as claimed.

### Claim Rejections - 35 USC § 103

13. Claims 9-10, 23, 29-30 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,432,850 to Takagi as applied to claims 1-4, 7-8, 11-16, 19-24, 27-28 and 31-36 above, and further in view of USPN 4,803,096 to Kuhn et al. (hereinafter referred to as Kuhn).

Art Unit: 1771

Regarding claims 9-10, 23, 29-30 and 38, Takagi discloses that the conductive polymer may be mixture of a conductive powder with a polymer melt (column 5, lines 38-50), but Takagi does not specifically mention a polyaniline or polypyrrole. Kuhn discloses that it is known in the antistatic fabric art that conductive polymer fibers comprising a mixture of a conductive powder with a polymer may be substituted with polyaniline or polypyrrole conductive polymers to eliminate disadvantageous such as undesirable alteration of the physical properties of the fibers (see entire document including column 1, lines 6-66). It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the conductive polymer material from any suitable conductive polymer material, such as a polyaniline or polypyrrole, to eliminate disadvantageous such as undesirable alteration of the physical properties of the fibers and because it is within the general skill of a worker in the art to select a known material on the basis of its suitability.

Regarding claims 10 and 30, considering that Kuhn discloses that polyanilines and polypyrrole do not alter the physical properties of the fibers, and considering that the fiber taught by the prior art is substantially identical to the claimed fibers, it appears that the fibers would have physical properties comparable to a polyamide filament.

14. Claims 17-18 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,432,850 to Takagi (as applied to claims 1-4, 7-8, 11-16, 19-24, 27-28 and 31-36 above).

Takagi discloses that the degree of surface area coverage of the conductive fiber is preferably 20 to 70% in consideration of processability, manufacturing costs, and conductivity (column 4, lines 40-51), but Takagi does not specifically mention weight percent of conductive polymer. It would have been obvious to one having ordinary skill in the art at the time the

Application/Control Number: 10/699,997

Art Unit: 1771

invention was made to vary the weight percent of conductive polymer, such as from 1 to 10%, because it is understood by one of ordinary skill in the art that the weight percent conductive polymer directly affects processability, manufacturing costs, and conductivity and because it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

15. Claims 11-18 and 31-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over USPN 6,432,850 to Takagi as applied to claims 1-4, 7-8, 11-16, 19-24, 27-28 and 31-36 above, and further in view of USPN 6,093,491 to Dugan et al. (hereinafter referred to as Dugan).

Regarding claims 11-18 and 31-37, in the event that it is shown that Takagi does not teach or suggest lobed C-shaped monofilaments, Dugan clearly discloses that it is known in the art to use a lobed C-shaped monofilament to entrap material inside the polymer fiber for increased durability (see entire document including column 4, lines 45-58). It would have been obvious to one having ordinary skill in the art at the time the invention was made to use lobed monofilaments, as taught by Dugan, because the lobed monofilaments increase durability partially encasing the material within the polymer fiber.

Regarding claims 12 and 32, Takagi discloses that the fabric, and therefore the coating, may have a conductivity of  $10^6$  to  $10^9 \Omega$  (column 5, lines 15-19).

Regarding claims 13-16 and 33-36, Kuhn discloses that one or more C-shaped grooves may run along a length of the monofilament such that a mechanical interlock forms between the monofilament and the conductive polymer filling the grooves such that the interlock reduces a need for adhesion of the conductive polymer to the monofilament (see Figure 1).

Regarding claims 15-16 and 35-36, the configuration taught by Kuhn allows for continued exposure of the conductive polymer to the filament surface as the monofilament wears so that the filament retains its conductivity and the positioning of the conductive polymer in the grooves shields the polymer and reduces the impact of its lesser abrasion resistance and physical properties (see Figure 1).

Regarding claims 17-18 and 37, Takagi discloses that the degree of surface area coverage of the conductive fiber is preferably 20 to 70% in consideration of processability, manufacturing costs, and conductivity (column 4, lines 40-51), but Takagi does not specifically mention weight percent of conductive polymer. It would have been obvious to one having ordinary skill in the art at the time the invention was made to vary the weight percent of conductive polymer, such as from 1 to 10%, because it is understood by one of ordinary skill in the art that the weight percent conductive polymer directly affects processability, manufacturing costs, and conductivity and because it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew T. Piziali whose telephone number is (571) 272-1541. The examiner can normally be reached on Monday-Friday (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/699,997

Art Unit: 1771

Page 11

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

atp

ANDREW T. PIZIALI